



**Pollution Control Board:: Assam  
Bamunimaidam, Guwahati-21**

**OFFICE ORDER**



No. WB/G-295/21-22/409

Dated Guwahati, the 04<sup>th</sup> May, 2024

**Sub: New Format of Affidavit applicable for Brick Kilns and Hot Mix Plants – reg.**

Two, new and detailed format of Affidavits, applicable for Brick Kilns Industries and Hot Mix Plants, are uploaded in the Board's website, to be mandatorily submitted by the Brick Industries and Hot Mix Plants (HMP), while submitting an application online. The Affidavit includes the distance criteria mentioned in the Zig-Zag Notification No. G.S.R.143(E) dtd. 22.02.2022 and Notification No. G.S.R.376(E) dtd. May 18, 2023 for the Brick Industries and HMP respectively.

The visiting Officer of the Board shall certify that correct information have been submitted by the concerned Unit while submitting the inspection report.

In the CTE/CTO conditions, following condition shall be included in the general condition:

*'The Unit shall abide by all the conditions mentioned in the Affidavit submitted by itself vide Affidavit dtd. (enclosed herewith). Any violation detected in terms of non-compliance and submission of wrong information in the Affidavit shall lead to Closure of the Unit, Withdrawal of CTE/CCA and any other legal action, as deemed fit'.*

The above condition shall be mandatorily included in all the CTE/CCA granted by PCBA henceforth by the concerned officials.

This order shall be in force with immediate effect until further order.

This has been issued with the approval of the Competent Authority.

/

**(Shantanu Kr. Dutta)**  
**Member Secretary**

Memo No. WB/G-295/21-22/409-A,

Dated Guwahati, the 04<sup>th</sup> May, 2024

Copy to:

1. The ROs, RO/RLO-PCBA for information and necessary action.
2. The IT In-charge, IT Section, PCBA – he is requested to upload the Office Order in the Board's website.
3. P.A. to the Chairman, PCBA for kind appraisal of the Hon'ble Chairman.

*MTS-20 63*

**Member Secretary**