



Pollution Control Board, Assam

(Department of Environment & Forests : : Government of Assam)

অসম প্রদূষণ নিয়ন্ত্রণ পৰিষদ
(অসম চৰকাৰৰ বন আৰু পৰিৱেশ বিভাগ)



No. WB/GUW/T-1039/07-08/238

To

Dated Guwahati the 21st July, 2022

M/s. Annapurna Food and Beverages
Paschim Boragaon, Gotanagar
Guwahati, Dist.: Kamrup (M)
Assam-781033
E-mail ID-logistic@annapurnagroup.in

Sub: SHOW CAUSE NOTICE.

WHEREAS, under Section 17 of the Air (Prevention & Control of Pollution) Act, 1981, one of the functions of the State Pollution Control Board (SPCB) is to plan a comprehensive programme for prevention, control or abatement of air pollution and to secure the execution thereof and under Section 17 of the Water (Prevention & Control of Pollution) Act 1974, one of the functions of the State Pollution Control Board (SPCB) is to plan a comprehensive programme for prevention, control or abatement of pollution of streams and wells in the state and to secure the execution thereof;

WHEREAS, you are operating an unit in the name and style of M/s. Annapurna Food and Beverages located at Paschim Boragaon, Gotanagar, Guwahati, Dist.: Kamrup (M);

WHEREAS, inspections were made by the Board officials on 09.07.2022 and 20.07.2022 of your plant and it had been observed in both the occasions that Effluent Treatment Plant (ETP) was not in operation and the waste water generated by the unit, estimated to be about thirty (30) KLD, was discharged directly into surface drain bypassing the ETP.

WHEREAS, you have been found violating the specific provisions of Consent to Operate granted by the Board vide No. WB/GUW/T-1039/07-08/236/1465 dtd. 06.01.2022 regarding compliance of industry specific effluent discharge standards, notified by the MoEF&CC, Govt. of India;

WHEREAS, the Board issued a Notification vide No.PCBA/LGL-95/2021/Notification/01 dtd.11.11.2021, directing all the industries in the State to install a Display Board showing the name of the unit and status of Consent and Hazardous Waste Authorization and it was found that your unit had failed to comply with the provisions of the said Notification of the Board;

NOW, THEREFORE, under the above facts & circumstances, Pollution Control Board, Assam is constrained to inform you that, hence you have nonchalantly violated the provisions of law in force causing pollution to the environment and in exercising of powers conferred upon it under Section 33 (A) of the Water (Prevention & Control of Pollution) Act, 1974 as amended till date, hence you are directed to **"SHOW CAUSE"** within **fifteen (15) days** from the date of issue of this letter why **"CLOSURE NOTICE"** shall not be issued to your unit and **Environmental Compensation Fine shall not be levied with effect from 09.07.2022 as per the formula specified by the Hon'ble NGT for levying Environmental Compensation Fine to the defaulting units.**


Member Secretary

Memo No. WB/GUW/T-1039/07-08/238-A,

Dated Guwahati the 21st July, 2022

Copy to:

1. P.A. to the Chairman, PCBA for kind appraisal of the Hon'ble Chairman.
2. The Sr. Env. Engineer, Regional Office, Guwahati, PCBA for information & necessary action.


Member Secretary